



☎ : 0424 - 2244101  
Mob : 99767 51115  
Fax : 0424 - 2244102

## **VELLALAR COLLEGE FOR WOMEN (AUTONOMOUS)**

**"COLLEGE WITH POTENTIAL FOR EXCELLENCE"**

(Re-accredited with 'A' Grade by NAAC, Bengaluru & Affiliated to Bharathiar University, Coimbatore)  
Thindal, Erode - 638 012, Tamilnadu.

e-mail: [principalvcw@gmail.com](mailto:principalvcw@gmail.com) \* website: [vcw.ac.in](http://vcw.ac.in)

### **7.1.3. BIO MEDICAL WASTE**

## Bio Medical Waste Disposal Approval

### GENERAL CONDITIONS

1. The occupier shall make an application along with the prescribed consent fee for grant of renewal of consent at least 60 days before the date of expiry of this Consent Order along with all the required particulars ensuring that there is no change in production quantity and emission.
2. This Consent is given by the Board in consideration of the particulars given in the application. Any change or alteration or deviation made in actual practice from the particulars furnished, in the application will also be ground for review/variation/revocation of the Consent Order under Section 21 of the Act.
3. The conditions imposed shall continue in force until revoked under Section 21 of the Act.
4. After the issue of this order, all the 'Consent to Operate' orders issued previously under Air (Prevention and Control of Pollution) Act, 1981 as amended stands defunct.
5. The occupier shall maintain an Inspection Register in the factory so that the inspecting officer shall record the details of the observations and instructions issued to the unit at the time of inspection for adherence.
6. The occupier shall provide and maintain an alternate power supply along with separate energy meter for the Air Pollution Control measures sufficient to ensure continuous operation of all pollution control equipments to ensure compliance.
7. The occupier shall provide all facilities to the Board officials for collection of samples in and around the factory at any time.
8. The applicant shall display the flow diagram of the sources of emission and pollution control systems provided at the site.
9. The liquid effluent arising out of the operation of the air pollution control equipment shall also be treated in a manner and to the satisfaction of standards prescribed by the Board in accordance with the provisions of Water (Prevention and Control of Pollution) Act, 1974 as amended.
10. The air pollution control equipments, location of inspection chambers and sampling port holes shall be made easily accessible at all time.
11. In case of any episodal discharge of emission, the industry shall take immediate action to bring down the emission within the limits prescribed by the Board.
12. If applicable, the occupier has to comply with the provisions of Public Liability Insurance Act, 1991 to provide immediate relief in the event of any hazard to human beings, other living creatures/plants and properties while handling and storage of hazardous substances.
13. The issuance of this consent does not authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any natural watercourse or in Government Poromboke lands.
14. The issuance of this Consent does not convey any property right in either real personal property or any exclusive privileges, nor does it authorize any injury to private property or Government property or any invasion of personal rights nor any infringement of Central, State laws or regulation.
15. The occupier shall forth with keep the Board informed of any accident of unforeseen act or event of any poisonous, noxious or polluting matter or emissions are being discharged into stream or well or air as a result of such discharge, water or air is being polluted.
16. If due to any technological improvements or otherwise the Board is of opinion that all or any of the conditions referred to above requires variation (including the change of any treatment system, either in whole or in part) the Board shall, after giving the applicant an opportunity of being heard, vary all or any of such conditions and thereupon the applicant shall be bound to comply with the conditions as so varied.
17. In case there is any change in the constitution of the management, the occupier of the new management shall file fresh application under Air (Prevention and Control of Pollution) Act, 1981, as amended in Form-I alongwith relevant documents of change of management immediately and get the necessary amendment with renewal of consent order.
18. In case there is any change in the name of the company alone, the occupier shall inform the same with relevant documents immediately and get the necessary amendments for the change of name from the Board.

## Bio Medical Waste Disposal Approval

1. The health care facility shall operate and maintain the stack provided for its D.G set so as to satisfy the standards prescribed by the Board.
2. The health care facility shall comply with the Bio-medical waste management Rules, 2016 at all times.
3. The health care facility shall not use 'use and throwaway plastics' such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the industry premises. Instead it shall encourage use of eco friendly alternative such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, Jute bag etc.,

**K. Senthil**  
**Vinayagam**  
Digitally signed by K.  
Senthil Vinayagam  
Date: 2020.07.31  
14:26:30 +05'30'  
District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
ERODE

## Bio Medical Waste Disposal Approval

Sl. No.	Pollutant	Time Weighted Average	Unit	Tolerance Limits	
				Industrial, Residential, Rural and other area	Ecologically Sensitive Area (notified by Central Govt.)
6.	Lead (Pb)	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	0.5 1.0	0.5 1.0
7.	Carbon Monoxide (CO)	8 Hours 1 Hour	miligram/m <sup>3</sup> miligram/m <sup>3</sup>	02 04	02 04
8.	Ammonia (NH <sub>3</sub> )	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	100 400	100 400
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	Annual	microgram/m <sup>3</sup>	5	5
10.	Benzo(O) Pyrene (BaP) -particulate phase only	Annual	nanogram/m <sup>3</sup>	01	01
11.	Arsenic (As)	Annual	nanogram/m <sup>3</sup>	06	06
12.	Nickel (Ni)	Annual	nanogram/m <sup>3</sup>	20	20

- 3(c) The Ambient Noise Level in the industrial plant area shall not exceed the limits prescribed below:

Limits in L <sub>eq</sub> -dB(A)	Day Time	Night Time
Residential Area	55	45

4. All units of the Air pollution control measures shall be operated efficiently and continuously so as to achieve the standards prescribed in Sl. No.3 above.
5. The occupier shall not change or alter quality or quantity or the rate of emission or replace or alter the air pollution control equipment or change the raw material or manufacturing process resulting in change in quality and/or quantity of emissions without the previous written permission of the Board.
6. The occupier shall maintain log book regarding the stack monitoring system or operation of the plant or any other particulars for each of the unit operations of air pollution control systems to reflect the working condition which shall be furnished for verification of the Board officials during inspection.
7. The occupier shall at his own cost get the samples of emission/air/noise levels collected and analyzed by the TNPC Board Laboratory once in every 6 months/once in a year/periodically for the parameters as prescribed.
8. Any upset condition in any of the plants of the factory which is likely to result in increased emissions and result in violation of the standards mentioned in Sl.No.3 shall be reported to the Member Secretary / Joint Chief Environmental Engineer-Monitoring and the concerned District/Assistant Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.
9. The occupier shall always comply and carryout the order/directions issued by the Board in this Consent Order and from time to time without any negligence. The occupier shall be liable for action as per provisions of the Act in case of non compliance of any order/directions issued.

**Special Additional Conditions:**

The unit shall install the approved retrofit emission control device/equipment with at least 70% Particulate matter reduction efficiency on all DG sets with capacity of 125 KVA and above or otherwise the unit shall be shift to gas based generators within the time frame prescribed in the notification No. TNPCB/Labs/DD(L)02151/2019 dated 10.06.2020 issued by TNPCB.

**Additional Conditions:**

## Bio Medical Waste Disposal Approval

### SPECIAL CONDITIONS

1. This consent to operate is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
<b>Product Details</b>			
1.	Health care facility with Beds	30	Nos.

2. This consent to operate is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

I Point source emission with stack :				
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm <sup>3</sup> /hr
01	D.G.set 15 KVA	Acoustic enclosures with stack	3.05	
II Fugitive/Noise emission :				
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	
1.	D.G.Set 15 KVA	Noise	Acoustic enclosures with stack	

- 3(a). The emission shall not contain constituents in excess of the tolerance limits as laid down hereunder :

Sl.	Parameter	Unit	Tolerance limits	Stacks

Annexure enclosed if applicable. :-

- 3.(b) The Ambient Air in the industrial plant area shall not contain constituents in excess of the tolerance limits prescribed below.

Sl. No.	Pollutant	Time Weighted Average	Unit	Tolerance Limits	
				Industrial, Residential, Rural and other area	Ecologically Sensitive Area (notified by Central Govt.)
1.	Sulphur Dioxide (SO <sub>2</sub> )	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	50 80	20 80
2.	Nitrogen Dioxide (NO <sub>2</sub> )	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	40 80	30 80
3.	Particulate Matter (Size Less than 10 micro M) or PM10	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	60 100	60 100
4.	Particulate Matter (Size Less than 2.5 micro M) or PM2.5	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	40 60	40 60
5.	Ozone (O <sub>3</sub> )	Annual 24 hours	8 Hours 1 Hour	100 180	100 180

## Bio Medical Waste Disposal Approval

Category of the Industry :

ORANGE

CONSENT ORDER NO. 2005229671224 DATED: 25/07/2020.

PROCEEDINGS NO.F.1508EDL/OS/DEE/TNPCB/EDL/A/2020 DATED: 25/07/2020

SUB: Tamil Nadu Pollution Control Board –CONSENT TO OPERATE –DIRECT -M/s. KASIYANNA GOUNDER HOSPITAL A CHARITY UNIT OF VELLALAR EDUCATIONAL TRUST , S.F.No. R.S.No.28/1,2,3,4, KATHIRAMPATTI village Erode Taluk and Erode District - Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) –Issued- Reg.

Ref: 1. Unit's application dated 15.11.2019 and resubmitted on 02.07.2020  
2. IR.No: F.1508EDL/OS/AEE/EDL/2020 dated 22/07/2020  
3. Minutes of the DLCCC meeting held on 24.07.2020 vide item No. 128-01

CONSENT TO OPERATE is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Secretary,  
M/s. KASIYANNA GOUNDER HOSPITAL A CHARITY UNIT OF VELLALAR EDUCATIONAL TRUST  
S.F No.R.S.No.28/1,2,3,4,  
KATHIRAMPATTI Village,  
Erode Taluk,  
Erode District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This CONSENT is valid for the period ending March 31, 2021

K. Senthil Digitally signed by K.  
Senthil Vinayagam  
Date: 2020.07.31  
14:25:32 +05'30'  
District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
ERODE

To  
The Secretary,  
M/s.KASIYANNA GOUNDER HOSPITAL A CHARITY UNIT OF VELLALAR EDUCATIONAL TRUST,  
No.93, Pavalatham Palayam, Kathirampatti Post, Perundurai Road, Erode Taluk, Erode.,  
Pin: 638107

Copy to:

- 1.The Commissioner. ERODE-Corporation. Erode Taluk, Erode District .
2. Copy submitted to the Member Secretary. Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring. Tamil Nadu Pollution Control Board, Salem for favour of kind information
4. File

## Bio Medical Waste Disposal Approval

19. The occupier shall display this consent order granted to him in a prominent place for perusal of the inspecting Officers of this Board.

K. Senthil  
Vinayagam

Digitally signed by K.  
Senthil Vinayagam  
Date: 2020.07.31  
14:27:57 +05'30'

District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
ERODE

**Expenditure Pollution Control Board**



**VELLALAR EDUCATIONAL TRUST  
KASIYANNA GOUNDER HOSPITAL**

Perundurair Road, Near A.E.T. School, Erode - 638 107.

Ph : 0424 - 2330033, 86818 - 46482

o/k

Ref :

Date : .....

13.02.2020

To


The District Environmental Engineer  
Tamilnadu Pollution Control Board  
Erode.

Sir,

I have enclosed herewith the documents for applying Fresh Consent to operate order for our Kasiyanna Gounder Charity Hospital run by Vellalar Educational Trust at Pavalathanpalayam. So I request you to kindly issue the CTO order as soon as possible.

Thanking You

Yours Faithfully

  
Secretary



**Secretary**  
**Kasiyanna Gounder Charity Hospital**  
(Run By Vellalar Educational Trust)  
S.No: 29, Mottukodai, Pavalathampalayam,  
Kathirampatti Post, (A.E.T Campus)  
Erode - 638 107.  
Ph : 0424 2330033.

W  
13/02/2020



## Expenditure Pollution Control Board

**C. VELUMANI** B.Sc., FCA.,  
Chartered Accountant.

33/1, Annamalai Lay Out,  
Nalli Hospital Road,  
ERODE - 638 011.  
Phone : 2224476

Date : 16.04.19

### TO WHOMSOEVER IT MAY CONCERN

This is to state M/s Vellalar Nursing college Hospital run by Vellalar Educational Trust at present functioning located at -Door No.59E, S.F.No:150A Pavalathampalayam, Perundurai Road, Kathirampatti Post, Erode District- have shown the following assets in their books of account as on 31.03.2019 as per the books of account produced..

S.No	Assets	Value of Gross Fixed Asset as 31.03.2019 in lakhs
1	Building	3671452
2	Air conditioner	37400
3	Electrical Fittings	87950
4	Fire Extinguisher	167126
5	Furniture & Fittings	4425
6	Equipments	631300
7	Refrigerator	27200
8	RO Plant	7965
	<b>Total</b>	<b>4634818</b>

*Sech*

*dhm*  
16.4.19  
Chartered Accountant  
UDIN: 19026921AAAABY8267

**C. VELUMANI, B.Sc., F.C.A.,**  
Chartered Accountant  
33/1, Annamalai Layout,  
Nalli Hospital Road, ERODE - 638 011.  
M.No: 026921.



## Ramky Energy and Environment Ltd., Salem.

 <b>நீல நிறக் கூடை</b> <b>SHARPS</b>	 <b>மஞ்சள்</b> <b>நிறக் கூடை</b> <b>Apron's cap</b>	 <b>சிவப்பு</b> <b>நிற கூடை</b> <b>PLASTIC WASTE</b>	 <b>உயிரி மருத்துவ கழிவுகள்</b> <b>உட்சி துளைக்காத</b> <b>வெள்ளை நிற கூடை</b> <b>(Puncture Proof White Container)</b>
<ul style="list-style-type: none"><li>உடைந்த டெஸ்ட் டியூப் / சிலைடுகள்</li><li>உடைந்த கண்ணாடி குப்பிகள்</li><li>உலோக உட்பொருத்திகள் (IMPLANTS) மற்றும் கூர்மையான கண்ணாடி கழிவுகள்</li></ul>	<ul style="list-style-type: none"><li>பஞ்சு துணிகள்</li><li>பிளாஸ்டர் மற்றும் கறைபட்ட கழிவுகள்</li><li>அய்வக கழிவுகள் / மைக்ரோ பயலாஜி ஆய்வக கழிவுகள்</li><li>பேண்டேஜ் துணிகள் / POP பேண்டேஜ்.</li><li>நஞ்சுக் கொடி, மனித / விலங்கு உறுப்புகள்</li><li>கேன்சர் டிரீட்மெண்ட் மருந்துகள்</li><li>காலாவதியான மருந்து மற்றும் மாத்திரைகள்</li></ul>	<ul style="list-style-type: none"><li>பிளாஸ்டிக் IV.பெட்ட / சிரிஞ்சுகள்</li><li>அரித்தபைகள்</li><li>லேட்கள் கையுறைகள்</li><li>யூரோ பைகள்</li><li>ICD BAGS / TUBE</li></ul>	<ul style="list-style-type: none"><li>உட்சிகள்</li><li>பிளேடுகள்</li><li>ஸ்டில்லெட்கள் (Stillets)</li><li>வயல் மெட்டல் கேப் (Vial Metal Caps)</li></ul>



## பிளாஸ்டிக் மாசில்லா தமிழகத்தை உருவாக்குவோம்

அன்புடையீர்!

மாண்புமிகு தமிழக முதல்வர் திரு.எடப்பாடி பழனிச்சாமி அவர்களின் சீரிய முயற்சியால், கடந்த 01.01.2019 முதல் ஒரு முறை பயன்படுத்தி தூக்கி எறியக்கூடிய பிளாஸ்டிக் பொருட்களுக்கு தடை செய்யப்பட்டுள்ளது.

மாண்புமிகு தமிழக முதல்வர் அவர்கள் “மண்ணைக் காப்பதும், மக்களைக் காப்பதும் என் கடமை” என்று உள்ள உறுதியோடு அமுல்படுத்தியது மக்கள் மத்தியில் பெறும் வரவேற்பை பெற்று வருகிறது.

மக்கள் தாங்களாக முன் வந்து, பிளாஸ்டிக் தீமை அறிந்து துணிப்பை, பாத்திரங்கள் கொண்டு செல்லும் பழக்கத்திற்கு மாறியது மற்ற மாநிலத்தவரை ஆச்சரியத்தில் ஆழ்த்தியது.

மேலும் மாவட்ட ஆட்சியர்கள், உள்ளாட்சி அமைப்புகள் மற்றும் தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம் என அனைத்து நிர்வாகங்களையும் தொடர் கண்காணிப்பில் ஈடுபட மாண்புமிகு தமிழக முதல்வர் அவர்கள் ஆணையிட்டு வெற்றிகரமாக செயல்படுத்தப்பட்டு வருகிறது.

எனவே, சுற்றுச்சூழலை பாதுகாக்க, தமிழ்நாடு அரசின் தடைக்கு முழு ஒத்துழைப்பு நல்கி, பிளாஸ்டிக் இல்லா தமிழகத்தை உருவாக்க நாம் அனைவரும் ஒன்றிணைந்து செல்படுவோம் என உறுதி ஏற்போம்.

## தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம்

பிளாஸ்டிக்கை தவிர்ப்போம்!!!

சுற்றுச்சூழலை பாதுகாப்போம்!!!

எண். 76, மவுண்ட் சாலை கிண்டி, சென்னை - 32.

## Pamphlet regarding Banned Plastic Varieties



### பிளாஸ்டிக் மாசில்லா தமிழ்நாடு

தமிழக அரசு வெளியிட்டுள்ள அரசாணை எண் 84, நாள் 25.06.2018-ன் படி ஒரு முறை உபயோகப்படுத்தப்பட்டு தூக்கி எறியும் கீழ்க்கண்ட பிளாஸ்டிக் பொருட்கள் தயாரிக்கப்படுவதும், சேமித்து வைப்பதும், விறியோகிப்பதும், போக்குவரத்து செய்வதும், விற்பதும் 01.01.2019 முதல் தடை செய்யப்படுவதாக அறிவிக்கை செய்யப்பட்டுள்ளது



### தடை செய்யப்பட்ட பிளாஸ்டிக் பொருட்கள் X

உணவுப்பொருட்களை கட்ட உபயோகப்படுத்தப்படும் பிளாஸ்டிக் தளம்	தொர்மக்கோல் தட்டுகள்	பிளாஸ்டிக் பூசப்பட்ட காகித குவளைகள்	உணவு அடுக்கல் மெழையில்லா விரிக்கப்படும் பிளாஸ்டிக் / பிளாஸ்டிக் பூசப்பட்ட தளம்
பிளாஸ்டிக் பூசப்பட்ட காகித தட்டுகள்	பிளாஸ்டிக் தேநீர் குவளைகள்	பிளாஸ்டிக் குவளைகள்	நீர் நிரப்ப பயன்படும் பைகள் / பொட்டலங்கள்
பிளாஸ்டிக் கொடிகள்	தொர்மக்கோல் குவளைகள்	பிளாஸ்டிக் உறிஞ்சு குழாய்கள்	நெய்யாத பிளாஸ்டிக் தூக்கு பைகள்

### பிளாஸ்டிக் பொருட்களுக்கான மாற்று பொருட்கள் ✓

வாழையிலை, பாக்குமர இலை	காகித சுருள்	கண்ணாடி / உலோகத்தால் ஆன குவளைகள்	அலுமினியத்தான்
தாமரை இலை	மூங்கில் / மரம் / மண்பொருட்கள்	காகித உறிஞ்சு குழாய்கள்	காகித / துணி கொடிகள்
உண்ணக்கூடிய தேக்கரண்டிகள்	துணி / காகிதம் / சணல் பைகள்	பீங்கான் பாத்திரங்கள்	மண் குவளைகள்

பிளாஸ்டிக் மாசினை ஒழிப்பதற்கு நாம் அனைவரும் ஒன்று சேர்வோம்!!!

தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம்



☎ : 0424 - 2244101  
Mob : 99767 51115  
Fax : 0424 - 2244102

## VELLALAR COLLEGE FOR WOMEN (AUTONOMOUS)

**"COLLEGE WITH POTENTIAL FOR EXCELLENCE"**

(Re-accredited with 'A' Grade by NAAC, Bengaluru & Affiliated to Bharathiar University, Coimbatore)  
Thindal, Erode - 638 012, Tamilnadu.  
e-mail: principalvcw@gmail.com \* website: vcw.ac.in

### WASTE DISPOSAL DUSTBIN



### LAB WASTE DUSTBIN





☎ : 0424 - 2244101  
Mob : 99767 51115  
Fax : 0424 - 2244102

## **VELLALAR COLLEGE FOR WOMEN (AUTONOMOUS)**

**"COLLEGE WITH POTENTIAL FOR EXCELLENCE"**

(Re-accredited with 'A' Grade by NAAC, Bengaluru & Affiliated to Bharathiar University, Coimbatore)

Thindal, Erode - 638 012, Tamilnadu.

e-mail: principalvcw@gmail.com \* website: vcw.ac.in

### INJECTION NEEDLE DESTROYER





☎ : 0424 - 2244101  
Mob : 99767 51115  
Fax : 0424 - 2244102

## VELLALAR COLLEGE FOR WOMEN (AUTONOMOUS)

**"COLLEGE WITH POTENTIAL FOR EXCELLENCE"**

(Re-accredited with 'A' Grade by NAAC, Bengaluru & Affiliated to Bharathiar University, Coimbatore)

Thindal, Erode - 638 012, Tamilnadu.

e-mail: principalvcw@gmail.com \* website: vcw.ac.in

### SEPTIC TANK



### GENERATOR WITH SMOKE TUNNEL





☎ : 0424 - 2244101  
Mob : 99767 51115  
Fax : 0424 - 2244102

## VELLALAR COLLEGE FOR WOMEN (AUTONOMOUS)

**"COLLEGE WITH POTENTIAL FOR EXCELLENCE"**

(Re-accredited with 'A' Grade by NAAC, Bengaluru & Affiliated to Bharathiar University, Coimbatore)

Thindal, Erode - 638 012, Tamilnadu.

e-mail: principalvcw@gmail.com \* website: vcw.ac.in

### GROUND FLOOR



### FIRST FLOOR







☎ : 0424 - 2244101  
Mob : 99767 51115  
Fax : 0424 - 2244102

## **VELLALAR COLLEGE FOR WOMEN (AUTONOMOUS)**

**"COLLEGE WITH POTENTIAL FOR EXCELLENCE"**

(Re-accredited with 'A' Grade by NAAC, Bengaluru & Affiliated to Bharathiar University, Coimbatore)

Thindal, Erode - 638 012, Tamilnadu.

e-mail: principalvcw@gmail.com \* website: vcw.ac.in

### GROUND FLOOR



### GENERATOR ROOM

